



THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Supplementary Material

Article Title: Computer-Assisted Cognitive-Behavioral Therapy for Depression in Primary Care: Systematic Review and Meta-Analysis

Author(s): Michael J. Wells, MD; Jesse J. Owen, PhD; Laura W. McCray, MD; Laura B. Bishop, MD; Tracy D. Eells, PhD; Gregory K. Brown, PhD; Derek Richards, PhD; Michael E. Thase, MD; and Jesse H. Wright, MD, PhD

DOI Number: <https://doi.org/10.4088/PCC.17r02196>

List of Supplementary Material for the article

1. [Supplementary Appendix 1](#)

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary Appendix 1

Diagnostic and Symptom Measures

Beck Depression Inventory (BDI)

Center for Epidemiologic Studies Depression Scale (CES-D)

Diagnostic and Statistical Manual of Mental Disorders, 4th Edition (*DSM-4*)

Hamilton Rating Scale for Depression (HRSD)

Mini International Neuropsychiatric Interview (MINI)

Patient Health Questionnaire-9 (PHQ-9)

Structured Clinical Interview for DSM Disorders (SCID)

Reasons for Excluding Studies from Meta-analysis:

Studies found through computer search (Ovid Medline, PsychInfo, PubMed, Scopus) = 208

Studies found “manually” (through other meta-analysis, reviews, and other papers) = 15

Total number of studies in search = 223

Number of studies excluded = 215

Number of studies included = 8

Primary reason for exclusion:

Not an RCT = 60

RCT with active therapy as only control = 9

Not on depressed subjects = 31

No inclusion criteria for depression = 12

Mixed sample including stress and anxiety, n= 2

Not on adults (child and adolescent studies) = 13

Didn't use computer-delivered therapy = 11

Didn't use CBT = 4

No pre-post means/SDs with standard depression rating scale = 11

Duplicate (follow-up or other report on principal study found elsewhere in search) = 22

Otherwise qualified for inclusion but study not performed in primary care setting = 40