

Participants may receive a maximum of 2 *AMA PRA Category 1 Credit(s)*TM by reading each CME article and correctly answering at least 70% of the questions in the Posttest that follows:

Go to **www.psychiatrist.com/cmehome** to take this Posttest online and earn credit immediately.

Or

- 1. Read each question carefully and circle the answer on the Registration Form.
- 2. Type or print the registration information in the spaces provided and complete the evaluation.
- 3. Send the Registration Form to the address or fax number listed on the Registration Form.

All replies and results are confidential. Answer sheets, once graded, will not be returned. Unanswered questions will be considered incorrect and so scored. The CME Institute of Physicians Postgraduate Press, Inc. will keep only a record of participation, which indicates the completion of the activity and the designated number of *AMA PRA Category 1 Credit(s)*TM that have been awarded. Correct answers to the Posttest will be made available to the participants of this activity upon request after the submission deadline.

Accreditation Statement

The CME Institute of Physicians Postgraduate Press, Inc. is accredited by the Accreditation Council for Continuing Medical Education to provide continuing medical education for physicians.

Answers to Pretest: 1. a 2. a

Maj et al.

pp. 712-719

- 1. The prevalence of the agitated subtype among patients with major depressive disorder was found to be:
 - a. 2% to 5%
 - b. 5% to 10%
 - c. 10% to 15%
 - d. > 25%
- 2. All of the following manic/hypomanic symptoms were found to be more frequent in agitated than in nonagitated major depressive disorder, *except*:
 - a. Irritability
 - b. Sexual hyperactivity
 - c. Excessive involvement in activities with potentially painful consequences
 - d. Flight of ideas or racing thoughts
- **3.** Among patients with agitated major depressive disorder, the percentage of those with at least 2 manic/hypomanic symptoms in their index episode was found to be:
 - a. 5% to 10%
 - b. 10% to 15%
 - c. 15% to 20%
 - d. > 25%

- 4. The presence of at least 2 manic/hypomanic symptoms in patients with agitated major depressive disorder was found to be significantly associated with which of the following historical features:
 - a. A higher number of prior hospitalizations
 - b. A more frequent family history of bipolar disorder
 - c. A less frequent history of suicide attempts
 - d. A more frequent co-occurrence of substance abuse
- 5. In patients who had an episode of agitated major depression, more than 50% of those who had at least 1 subsequent depressive episode also fulfilled the criteria for the agitated subtype.
- a. True
- b. False

Connor et al.

pp. 808-820

- 6. Early intervention programs that successfully target child and adolescent maladaptive aggression have which characteristic?
 - a. Interventions are given as single sequential treatments
 - Interventions target only the aggressive child/adolescent as a focus of treatment
 - c. Interventions begin early in life when the at-risk child is between 0 and 6 years old
 - d. Interventions target only parents as a focus of treatment

7. Significant patient moderators of early-onset aggression include which characteristic?

- a. Older child age
- b. Fewer chronic or severe symptoms
- c. Low verbal IQ
- d. Absence of family psychopathology

8. A mediator of early-onset aggression is:

- a. Coercive family process
- b. High social skills
- c. Performance IQ
- d. Sibling birth order
- 9. For empirically based psychosocial treatments directed at early-onset maladaptive aggression and conduct problems, effect sizes range from _____, depending on the specific type of treatment, the age of the child, and other treatment moderators and mediators.
 - a. 0.1 to 0.3
 - b. 0.4 to 0.9
 - c. 0.9 to 1.2
 - d. > 1.2
- 10. Critical periods in development, during which empirically based interventions given for discrete durations might prevent a developmental trajectory into conduct disorder, may be concentrated where?

a. At birth

- b. In the transition from preschool to the elementary school years
- c. In the middle school years
- d. In the early adolescent years

REGISTRATION FORM

Circle the one correct answer for each question.

						-			
1.	a	b	с	d	6.	а	b	с	d
2.	a	b	с	d	7.	а	b	с	d
3.	a	b	с	d	8.	а	b	с	d
4.	a	b	с	d	9.	a	b	с	d
5.	а	b			10.	а	b	с	d

Print or type

Name			
Last 4 digits of S (Required to issue Cl	Social Security Number ME credit)		
Birth Date (mm, (Required to issue Cl	dd, yy) ME credit)		
Degree	Specialty		
Affiliation			
Address			
City, State, Zip _			
Phone ()_			
Fax ()			
E-Mail			
🖵 Hospital	□ Private Practice	Resident	🗅 Intern

Deadline for submission

For a credit certificate to be issued, please complete this Registration Form no later than May 31, 2008. Online submissions will receive credit certificates immediately. Faxed or mailed submissions will receive credit certificates within 6 to 8 weeks.

Keep a copy for your files

Retain a copy of your answers and compare them with the correct answers, which will be published after the submission deadline.

Payment

If you complete the test online, no payment is necessary. A \$10 payment must accompany this form. You may pay by check, money order, or credit card (Visa or MasterCard). Make check or money order payable to Physicians Postgraduate Press, Inc. If paying by credit card, please provide the information below.

Check one: 🖸 Visa 📮 MasterCard						
Card number						
Expiration date						
Your signature						

Please evaluate the effectiveness of this CME activity by answering the following questions.

- 1. Was the educational content relevant to the stated educational objectives? □ Yes □ No
- Did this activity provide information that is useful in your clinical practice? □ Yes □ No
- 3. Was the format of this activity appropriate for the content being presented? □ Yes □ No
- 4. Did the method of presentation hold your interest and make the material easy to understand? □ Yes □ No
- 5. Achievement of educational objectives:
 - A. Enabled me to consider whether patients with manic/hypomanic symptoms in agitated major depressive disorder may be more appropriately diagnosed with a bipolar spectrum disorder. □ Yes □ No
 - B. Enabled me to select treatment interventions for aggression, conduct problems, antisocial behaviors, and violence in children and adolescents. □ Yes □ No
- 6. Did this CME activity provide a balanced, scientifically rigorous presentation of therapeutic options related to the topic, without commercial bias? □ Yes □ No
- 7. Does the information you received from this CME activity confirm the way you presently manage your patients?
 Yes No
- 8. Does the information you received from this CME activity change the way you will manage your patients in the future?
 □ Yes □ No
- 9. If you answered yes, what change(s) do you intend to make in your practice?
- Please offer comments and/or suggested topics for future CME activities.
- 11. How much time did you spend completing this CME activity?
- 12. What is your preferred format for CME activities? Circle one.
 - A. Print media (e.g., journals, supplements, and newsletters) B. Internet text
 - C. Internet multimedia
 - D. Audio CD
 - E. Live meeting

SEND THIS PAGE, ALONG WITH YOUR PAYMENT, TO:

CME INSTITUTE • PHYSICIANS POSTGRADUATE PRESS, INC. • P.O. BOX 752870 • MEMPHIS, TN 38175-2870 IF YOU ARE PAYING BY CREDIT CARD, YOU MAY FAX THIS PAGE TO: CME INSTITUTE AT 901-751-3444 QUESTIONS? CALL 1-800-489-1001, EXT. 8 • WWW.PSYCHIATRIST.COM