



Supplementary Material

Article Title: Clozapine and Risperidone in Moderately Refractory Schizophrenia: A 6-Month Randomized Double-Blind Comparison

Author(s): Nina R. Schooler, PhD; Stephen R. Marder, MD; K. N. R. Chengappa, MD; Georgios Petrides, MD; Donna Ames, MD; William C. Wirshing, MD; Marjorie McMeniman, PhD; Robert W. Baker, MD; Haranath Parepally, MD; Daniel Umbricht, MD; and John M. Kane, MD

DOI Number: 10.4088/JCP.13m08351

List of Supplementary Material for the article

1. [eTable 1](#) Symptom Ratings by Time and Treatment: Observed Cases Only

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary eTable 1: Symptom ratings by Time and Treatment: Observed cases only										
	<i>Baseline</i>		<i>Week 5</i>		<i>Week 11</i>		<i>Week 17</i>		<i>Week 29</i>	
Measure	CLZ (N=53)	RSP (N=54)	CLZ (N=38)	RSP (N=44)	CLZ (N=35)	RSP (N=31)	CLZ (N=33)	RSP (N=25)	CLZ (N=30)	RSP (N=22)
	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)
BPRS Variables										
Anxiety/ Depression	2.3(1.1)	2.3(1.0)	1.9 (.9)	1.9 (.8)	1.8(.8)	2.0(1.2)	1.7(.9)	1.9(1.1)	1.7(.8)	1.7(.7)
Anergia	2.3(.9)	2.2 (.8)	2.0(.7)	1.9(.7)	1.9(.6)	1.8(.8)	1.8(.8)	1.8(.5)	1.8(.7)	1.8(.6)
Thought Disturbance	3.6(1.1)	3.4(1.0)	2.7(1.0)	2.9(1.1)	2.6(1.1)	2.4(1.0)	2.4(1.0)	2.3 (.9)	2.2(1.0)	2.3 (.9)
Activation	1.8(.7)	1.8(.7)	1.6(.7)	1.5(.6)	1.4(.4)	1.3(.5)	1.4(.6)	1.4(.4)	1.2(.4)	1.3(.4)
Hostile- Suspiciousness	2.4(.9)	2.3(.9)	1.9(.8)	2.0(1.0)	1.9(.7)	1.6(.6)	1.6(.7)	1.7(.8)	1.6(.6)	1.4(.6)
Psychosis Cluster	4.0(1.1)	3.8(1.0)	2.8(1.1)	3.1(1.2)	2.8(1.0)	2.6(1.1)	2.5(1.0)	2.4(1.0)	2.5 (.9)	2.4(1.0)
Total	45.1 (9.6)	43.9 (8.4)	36.3 (9.0)	37.3 (10.2)	34.6 (8.3)	33.7 (9.1)	32.6 (9.4)	33.2 (7.8)	31.5 (7.9)	31.3 (6.5)
CGI Severity of Illness	4.9(.9)	4.8(.7)	4.3(.9)	4.2(.8)	4.1(.9)	4.0(.8)	3.8(1.1)	3.9 (.9)	3.4(.8)	3.7(.9)

Improvement	NA	NA	3.0(.9)	3.2(1.1)	2.8(.8)	3.1(1.2)	2.4(.8)	2.8(1.1)	2.0(1.1)	2.9(1.4)
SANS Globals										
Affective Flattening	2.8(1.1)	2.5(1.1)	2.4(1.0)	2.5(1.1)	2.3 (.9)	2.3(1.1)	2.1 (.9)	2.3 (.9)	2.2 (.8)	2.3 (1.0)
Alogia	2.4(1.0)	2.2(1.0)	2.3 (.9)	2.1(1.1)	2.2(1.0)	2.0(1.1)	1.9(1.0)	2.1(1.1)	2.0 (.8)	2.0 (1.1)
Avolition/ Apathy	3.4(1.1)	3.0(1.0)	3.4(1.1)	2.8(1.1)	2.9(1.2)	2.7(1.3)	3.0(1.1)	2.6(1.0)	2.6(1.0)	2.7 (1.3)
Asociality/ Anhedonia	3.2(1.2)	3.0(1.2)	3.0(1.2)	2.9(1.3)	2.9(1.2)	2.6(1.2)	2.9(1.0)	2.8(1.2)	2.5(1.1)	2.8 (1.2)

Abbreviations: BPRS = Brief Psychiatric Rating Scale, CGI = Clinical Global Impressions, SANS = Scale for the Assessment of Negative Symptoms, NA = Not applicable