



Supplementary Material

Article Title: Persistence in Therapy With Risperidone and Aripiprazole in Pediatric Outpatients: A 2-Year Naturalistic Comparison

Author(s): Marco Pozzi, PhD; Simone Pisano, PhD; Silvana Bertella, MD; Annalisa Capuano, PhD; Renata Rizzo, PhD; Stefania Antoniazzi, PharmD; Fabiana Auricchio, PhD; Carla Carnovale, PharmD; Dario Cattaneo, PhD; Carmen Ferrajolo, PhD; Marta Gentili, PharmD; Giuseppe Guastella, MD; Elisa Mani, MD; Concetta Rafaniello, PhD; Maria Pia Riccio, MD; Maria Grazia Scuderi, MD; Serena Sperandeo, MD; Liberata Sportiello, PhD; Laura Villa, MD; Sonia Radice, BiD; Emilio Clementi, PhD; Francesco Rossi, MD; Antonio Pascotto, MD; Renato Bernardini, MD; Massimo Molteni, MD; and Carmela Bravaccio, PhD

DOI Number: 10.4088/JCP.15m10247

List of Supplementary Material for the article

1. [eTable 1](#) Patients Recruited by Each Study Site

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary eTable 1. Patients recruited by each study site.

	Naples	Catania	Bosisio Parini
N	96	46	44
DSM-IV Diagnostic group			
DBD+ASD	36	1	23
DBD+ID	32	4	8
PSD	15	0	0
TD/TS	1	22	3
Other	12	19	10

Legend.

The distribution of patients is shown with respect to the study site. DBD+ASD: disruptive behavioral disorders plus autism spectrum disorders; DBD+ID: disruptive behavioral disorders plus intellectual disabilities; PSD: psychosis spectrum disorders; TD/TS: tic disorders or Tourette's Syndrome.