



THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Supplementary Material

Article Title: A Systematic Review of the Utility of Electroconvulsive Therapy in Broadly Defined Obsessive-Compulsive–Related Disorders

Author(s): Samara dos Santos-Ribeiro, BSc; Juliana B. de Salles Andrade, MSc; Julliana N. Quintas, MD; Karina B. Baptista; Maria E. Moreira-de-Oliveira; Murat Yücel; and Leonardo F. Fontenelle, MD, PhD

DOI Number: <https://doi.org/10.4088/PCC.18r02342>

List of Supplementary Material for the article

1. [Supplementary Table 1. List of Studies Included in the Systematic Review](#)

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary Table 1. List of Studies Included in the Systematic Review

Study first author and year	Country	Design	ECT patients, N	Main indication for ECT
Corbella, 1967 ¹	France	Case series	2	Unclear
Araneta, 1975 ²	USA	Case report	1	Treatment resistance
Bates, 1982 ³	USA	Case report	1	More than one
Guttmacher, 1988 ⁴	USA	Case series	1	More than one
Swerdlow, 1990 ⁵	USA	Case report	1	More than one
Larkin, 1992 ⁶	UK	Case report	1	Unclear
Phillips, 1993 ⁷	USA	Case series	4	Unclear
Carroll, 1994 ⁸	USA	Case report	1	Severe Major depression
Cizadlo, 1995 ⁹	USA	Case report	1	More than one
Rapoport, 1998 ¹⁰	Canada	Case report	1	Severe Major depression
Thuppal, 1999 ¹¹	USA	Case series	1	Severe Major depression
Dean, 2000 ¹²	USA	Case report	1	More than one
Godart, 2000 ¹³	France	Case report	1	Unclear
Myers, 2002 ¹⁴	USA	Case report	1	More than one
Friedlander, 2002 ¹⁵	Canada	Case series	1	More than one
Trivedi, 2003 ¹⁶	USA	Case report	1	More than one
Kessler, 2004 ¹⁷	USA	Case series	1	Severe Major depression
Strassning, 2004 ¹⁸	Germany	Case report	1	Previous response to ECT or convulsion
Kelly, 2004 ¹⁹	USA	Case report	1	More than one
Karadenizeli, 2005 ²⁰	Turkey	Case report	1	More than one
Houeto, 2005 ²¹	France	Case report	1	Unclear
Ghaziuddin, 2005 ²²	USA	Case report	1	More than one
Yero, 2006 ²³	USA	Case series	1	Others
Morais, 2007 ²⁴	Brazil	Case report	1	More than one
Okada, 2007 ²⁵	Japan	Case report	1	More than one
Bailine, 2007 ²⁶	USA	Case series	1	More than one
Dehning, 2008 ²⁷	Germany	Case report	1	More than one
Sperling, 2008 ²⁸	Germany	Case report	1	Treatment resistance
Fisher, 2008 ²⁹	USA	Case report	1	More than one
Arora, 2008 ³⁰	India	Case report	1	More than one
Wachtel, 2008 ³¹	USA	Case report	1	More than one
Kakooza-Mwesige, 2008 ³²	-	Case report	1	More than one
Wachtel, 2009 ³³	USA	Case report	1	More than one
Fink, 2009 ³⁴	USA	Case report	1	More than one
Dhossche, 2010 ³⁵	USA	Case series	2	More than one
Watchel, 2010 ³⁶	USA	Case report	1	More than one
Dehning, 2011 ³⁷	Germany	Case series	4	Unclear
Dehning, 2011 ³⁸	Germany	Case report	1	More than one
Watchel, 2011 ³⁹	USA	Case report	1	More than one

Ghaziuddin, 2011 ⁴⁰	USA	Case series	2	More than one
Duits, 2012 ⁴¹	Netherlands	Case report	1	More than one
Siegel, 2012 ⁴²	USA	Case report	1	More than one
Rapinesi, 2013 ⁴³	Italy	Case report	1	Treatment resistance
Consoli, 2013 ⁴⁴	France	Case series	4	More than one
Navinés, 2013 ⁴⁵	Spain	Case report	1	Unclear
Watchel, 2013 ⁴⁶	USA	Case report	1	More than one
Rajashree, 2014 ⁴⁷	India	Case report	1	More than one
Watchel, 2014 ⁴⁸	USA	Case report	1	More than one
Haq, 2014 ⁴⁹	USA	Case series	1	More than one
Okazaki, 2015 ⁵⁰	Japan	Case report	1	Severe Catatonia
Watchel, 2015 ⁵¹	USA	Case report	1	More than one
Dhossche, 2015 ⁵²	USA	Case report	1	More than one
Mahato, 2016 ⁵³	USA	Case report	1	More than one
Guo, 2016 ⁵⁴	USA	Case report	1	More than one
Clinebell, 2016 ⁵⁵	USA	Case series	1	More than one
Katz, 2017 ⁵⁶	USA	Case report	1	More than one
Sajith, 2017 ⁵⁷	Singapore	Case series	2	More than one

References

1. Corbella T, Rossi L. [Dysmorphophobia. Its clinical and nosographical aspects]. *Acta neurologica et psychiatrica Belgica*. 1967;67(9):691-700.
2. Araneta E, Magen J, Musci MN, Jr., Singer P, Vann CR. Gilles de la Tourette's syndrome symptom onset at age 35. *Child Psychiatry Hum Dev*. 1975;5(4):224-230.
3. Bates WJ, Smeltzer DJ. Electroconvulsive treatment of psychotic self-injurious behavior in a patient with severe mental retardation. *The American journal of psychiatry*. 1982;139(10):1355-1356.
4. Guttmacher LB, Cretella H. Electroconvulsive therapy in one child and three adolescents. *J Clin Psychiatry*. 1988;49(1):20-23.
5. Swerdlow NR, Gierz M, Berkowitz A, Nemiroff R, Lohr J. Electroconvulsive therapy in a patient with severe tic and major depressive episode. *J Clin Psychiatry*. 1990;51(1):34-35.
6. Larkin EP. Milieu and mutilation--a case for 'special' treatment? *The British journal of psychiatry : the journal of mental science*. 1992;160:116-119.
7. Phillips KA, McElroy SL, Keck PE, Jr., Pope HG, Jr., Hudson JI. Body dysmorphic disorder: 30 cases of imagined ugliness. *The American journal of psychiatry*. 1993;150(2):302-308.
8. Carroll BJ, Yendrek R, Degroot C, Fanin H. Response of major depression with psychosis and body dysmorphic disorder to ECT. *The American journal of psychiatry*. 1994;151(2):288-289.
9. Cizadlo BC, Wheaton A. Case study: ECT treatment of a young girl with catatonia. *Journal of the American Academy of Child and Adolescent Psychiatry*. 1995;34(3):332-335.
10. Rapoport M, Feder V, Sandor P. Response of major depression and Tourette's syndrome to ECT: a case report. *Psychosomatic medicine*. 1998;60(4):528-529.

11. Thuppal M, Fink M. Electroconvulsive therapy and mental retardation. *The journal of ECT*. 1999;15(2):140-149.
12. Dean CE. Severe self-injurious behavior associated with treatment-resistant schizophrenia: treatment with maintenance electroconvulsive therapy. *The journal of ECT*. 2000;16(3):302-308.
13. Godart NT, Agman G, Perdereau F, Jeammet P. Naltrexone treatment of self-injurious behavior. *J Am Acad Child Adolesc Psychiatry*. 2000;39(9):1076-1078.
14. Myers W, Nguyen M. Modified multiple-monitored electroconvulsive therapy. *Journal of the American Academy of Child and Adolescent Psychiatry*. 2002;41(7):756-758.
15. Friedlander RI, Solomons K. ECT: use in individuals with mental retardation. *The journal of ECT*. 2002;18(1):38-42.
16. Trivedi HK, Mendelowitz AJ, Fink M. Gilles de la Tourette form of catatonia: response to ECT. *The journal of ECT*. 2003;19(2):115-117.
17. Kessler RJ. Electroconvulsive therapy for affective disorders in persons with mental retardation. *The Psychiatric quarterly*. 2004;75(1):99-104.
18. Strassnig M, Riedel M, Muller N. Electroconvulsive therapy in a patient with Tourette's syndrome and co-morbid Obsessive Compulsive Disorder. *The world journal of biological psychiatry : the official journal of the World Federation of Societies of Biological Psychiatry*. 2004;5(3):164-166.
19. Kelly VC, Chan YC. Oedipism thwarted with electroconvulsive therapy. *The journal of ECT*. 2004;20(4):273-274.
20. Karadenizli D, Dilbaz N, Bayam G. Gilles de la Tourette syndrome: response to electroconvulsive therapy. *The journal of ECT*. 2005;21(4):246-248.
21. Houeto JL, Karachi C, Mallet L, et al. Tourette's syndrome and deep brain stimulation. *Journal of neurology, neurosurgery, and psychiatry*. 2005;76(7):992-995.
22. Ghaziuddin M, Quinlan P, Ghaziuddin N. Catatonia in autism: a distinct subtype? *Journal of intellectual disability research : JIDR*. 2005;49(Pt 1):102-105.
23. Yero SA, McKinney T, Petrides G, Goldstein I, Kellner CH. Successful use of electroconvulsive therapy in 2 cases of persistent sexual arousal syndrome and bipolar disorder. *The journal of ECT*. 2006;22(4):274-275.
24. Morais SL, Derenusson GN, Pinto JP, et al. Neurobiological substrates of electroconvulsive therapy for Tourette syndrome: a Serial SISCOM study. *The journal of ECT*. 2007;23(4):278-280.
25. Okada T, Yamamoto H, Funabiki Y. *Effectiveness of electroconvulsive therapy and donepezil treatment to severe tics in Tourette's disorder*. 2007.
26. Bailine SH, Petraviciute S. Catatonia in autistic twins: role of electroconvulsive therapy. *The journal of ECT*. 2007;23(1):21-22.
27. Dehning S, Mehrkens JH, Muller N, Botzel K. Therapy-refractory Tourette syndrome: beneficial outcome with globus pallidus internus deep brain stimulation. *Movement disorders : official journal of the Movement Disorder Society*. 2008;23(9):1300-1302.
28. Sperling W, Reulbach U, Maihofner C, Kornhuber J, Bleich S. Vagus nerve stimulation in a patient with Gilles de la Tourette syndrome and major depression. *Pharmacopsychiatry*. 2008;41(3):117-118.
29. Fisher CE, Sporn AL, Mantovani A, Leckman JF, Lisanby SH. Electroconvulsive Therapy as an Alternative to Deep Brain Stimulation for Medication-Refractory Tourette Syndrome. *The journal of ECT*. 2008;24(1):2.
30. Arora M, Praharaj SK, Prakash R. [Electroconvulsive therapy for multiple major self-mutilations in bipolar psychotic depression]. *Turk psikiyatri dergisi = Turkish journal of psychiatry*. 2008;19(2):209-212.

31. Wachtel LE, Kahng S, Dhossche DM, Cascella N, Reti IM. ECT for catatonia in an autistic girl. *The American journal of psychiatry*. 2008;165(3):329-333.
32. Kakooza-Mwesige A, Wachtel LE, Dhossche DM. Catatonia in autism: implications across the life span. *Eur Child Adolesc Psychiatry*. 2008;17(6):327-335.
33. Wachtel LE, Contrucci-Kuhn SA, Griffin M, Thompson A, Dhossche DM, Reti IM. ECT for self-injury in an autistic boy. *Eur Child Adolesc Psychiatry*. 2009;18(7):458-463.
34. Fink M. *Electroconvulsive Therapy: A Guide for Professionals and their patients* 2009.
35. Dhossche DM, Reti IM, Shettar SM, Wachtel LE. Tics as signs of catatonia: electroconvulsive therapy response in 2 men. *The journal of ECT*. 2010;26(4):266-269.
36. Wachtel LE, Griffin M, Reti IM. Electroconvulsive therapy in a man with autism experiencing severe depression, catatonia, and self-injury. *The journal of ECT*. 2010;26(1):70-73.
37. Dehning S, Feddersen B, Cerovecki A, Botzel K, Muller N, Mehrkens JH. Globus pallidus internus-deep brain stimulation in Tourette's syndrome: can clinical symptoms predict response? *Movement disorders : official journal of the Movement Disorder Society*. 2011;26(13):2440-2441.
38. Dehning S, Feddersen B, Mehrkens JH, Muller N. Long-term results of electroconvulsive therapy in severe Gilles de la Tourette syndrome. *The journal of ECT*. 2011;27(2):145-147.
39. Wachtel LE, Jaffe R, Kellner CH. Electroconvulsive therapy for psychotropic-refractory bipolar affective disorder and severe self-injury and aggression in an 11-year-old autistic boy. *Eur Child Adolesc Psychiatry*. 2011;20(3):147-152.
40. Ghaziuddin N, Dumas S, Hodges E. Use of continuation or maintenance electroconvulsive therapy in adolescents with severe treatment-resistant depression. *The journal of ECT*. 2011;27(2):168-174.
41. Duits A, Ackermans L, Cath D, Visser-Vandewalle V. Unfavourable outcome of deep brain stimulation in a Tourette patient with severe comorbidity. *Eur Child Adolesc Psychiatry*. 2012;21(9):529-531.
42. Siegel M, Milligan B, Robbins D, Prentice G. Electroconvulsive therapy in an adolescent with autism and bipolar I disorder. *The journal of ECT*. 2012;28(4):252-255.
43. Rapinesi C, Serata D, Del Casale A, et al. Effectiveness of electroconvulsive therapy in a patient with a treatment-resistant major depressive episode and comorbid body dysmorphic disorder. *The journal of ECT*. 2013;29(2):145-146.
44. Consoli A, Cohen J, Bodeau N, Guinchat V, Wachtel L, Cohen D. Electroconvulsive therapy in adolescents with intellectual disability and severe self-injurious behavior and aggression: a retrospective study. *Eur Child Adolesc Psychiatry*. 2013;22(1):55-62.
45. Navines R, Gutierrez F, Arranz B, et al. Long-term and bizarre self-injurious behavior: an approach to underlying psychological mechanisms and management. *J Psychiatr Pract*. 2013;19(1):65-71.
46. Wachtel LE, Schuldt S, Ghaziuddin N, Shorter E. The potential role of electroconvulsive therapy in the 'Iron Triangle' of pediatric catatonia, autism, and psychosis. *Acta psychiatrica Scandinavica*. 2013;128(5):408-409.
47. Rajashree VC, Manjiri CD, Ivan SN, Alka VP. Gilles de la Tourette's syndrome successfully treated with electroconvulsive therapy. *Indian journal of psychiatry*. 2014;56(4):407-408.

48. Wachtel LE, Reti IM, Ying H. Stability of intraocular pressure after retinal reattachment surgery during electroconvulsive therapy for intractable self-injury in a 12-year-old autistic boy. *The journal of ECT*. 2014;30(1):73-76.
49. Haq AU, Ghaziuddin N. Maintenance electroconvulsive therapy for aggression and self-injurious behavior in two adolescents with autism and catatonia. *The Journal of neuropsychiatry and clinical neurosciences*. 2014;26(1):64-72.
50. Okazaki R, Takahashi T, Ueno K, et al. Changes in EEG complexity with electroconvulsive therapy in a patient with autism spectrum disorders: a multiscale entropy approach. *Frontiers in human neuroscience*. 2015;9:106.
51. Wachtel L, Commins E, Park M, Rolider N, Stephens R, Reti I. Neuroleptic malignant syndrome and delirious mania as malignant catatonia in autism: prompt relief with electroconvulsive therapy. *Acta psychiatrica Scandinavica*. 2015;132(4):319-320.
52. Dhossche DM, van der Steen LF, Shettar SM. [Catatonia in autism spectrum disorders: review and case-report]. *Tijdschr Psychiatr*. 2015;57(2):89-93.
53. Mahato RS, San Gabriel MC, Longshore CT, Schnur DB. A Case of Treatment-resistant Depression and Body Dysmorphic Disorder: The Role of Electroconvulsive Therapy Revisited. *Innov Clin Neurosci*. 2016;13(7-8):37-40.
54. Guo JN, Kothari JS, Leckman JF, Ostroff RB. Successful Treatment of Tourette Syndrome With Electroconvulsive Therapy: A Case Report. *Biological psychiatry*. 2016;79(5):e13-e14.
55. Clinebell K, Valpey R, Walker T, Gopalan P, Azzam P. Self-Enucleation and Severe Ocular Injury in the Psychiatric Setting. *Psychosomatics*. 2016;57(1):25-30.
56. Katz R, Bukanova E, Ostroff R. Procedural Consolidation During Electroconvulsive Therapy for a Patient With Severe Tourette Syndrome. *The journal of ECT*. 2017;33(1):e7-e8.
57. Sajith SG, Liew SF, Tor PC. Response to Electroconvulsive Therapy in Patients With Autism Spectrum Disorder and Intractable Challenging Behaviors Associated With Symptoms of Catatonia. *The journal of ECT*. 2017;33(1):63-67.