

# THE PRIMARY CARE COMPANION FOR CNS DISORDERS

#### **Supplementary Material**

Article Title: A Rapidly Reversed Case of Symptoms Consistent With Neuroleptic Malignant Syndrome

Author(s): Derek Stodolak, MD, JD; Mohan Gautam, DO, MS; and Bassem Krayem, MD

**DOI Number:** https://doi.org/10.4088/PCC.20l02720

#### **List of Supplementary Material for the article**

1. Supplementary Figure 1

#### **Disclaimer**

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

# Admission medications: brexpiprazole & oxcarbazepine.

Brexpiprazole discontinued (not on formulary). Olanzapine titrated.

## Day 1 of cross-taper

Persistent hyponatremia & olanzapine intolerability.

Oxcarbazepine discontinued. Olanzapine cross-titrated with quetiapine.



# Day 4 of cross-taper

Patient suddenly removed clothes; began public masturbation.

Haloperidol 5 mg oral administered.

#### 2-4 hours later

Patient extremely diaphoretic & confused with muscle rigidity. HR 150 bpm, BP 155/90. CPK 518 μg/L.

Lorazepam 2 mg IV administered.



#### 1 hour later

Patient transferred to emergency department.

All NMS-like symptoms resolved.



## Return to inpatient facility

Patient continued to demonstrate emotional lability and paranoia.

Clozapine titration led to symptom reduction without further incidents.