



THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Supplementary Material

Article Title: Social Anxiety and Its Correlates Among Lebanese Adults: Role of Self-Esteem, Depression, Alcohol Use Disorder, Alexithymia, and Work Fatigue

Author(s): Kassandra Fares, MSc; Chadia Haddad, MPH; Diana Malaeb, MPH; Hala Sacre, PharmD; Marwan Akel, MPH; Pascale Salameh, PharmD, MPH, PhD; Sahar Obeid, PhD; and Souheil Hallit, PharmD, MSc, MPH, PhD

DOI Number: <https://doi.org/10.4088/PCC.20m02902>

List of Supplementary Material for the article

1. [Supplementary Table 1: Multivariable Analysis](#)

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary Table 1: Multivariable Analysis				
Model 1: Logistic regression taking the social phobia category as the dependent variable				
	p-value	ORa	Confidence interval	
			Lower Bound	Upper Bound
Cluster 2 vs cluster 1*	0.001	1.919	1.292	2.849
Cluster 3 vs cluster 1*	<0.001	6.554	4.065	10.565
<p>Variables entered Cluster 1= People with wellbeing (High emotional intelligence, self-esteem & low emotional fatigue with low depression, anxiety and alcohol dependence); Cluster2= People with emotional dysregulation (low emotional intelligence, self-esteem and high emotional fatigue with low physical and mental burnout, stress and low alexithymia); Cluster3= People in distress (High burnout, stress and alexithymia with high alcohol dependence, anxiety and depression); Variables entered in the model: cluster 1, cluster 2, cluster 3 and marital status.</p> <p>*Reference group.</p>				