

THE OFFICIAL JOURNAL OF THE AMERICAN SOCIETY OF CLINICAL PSYCHOPHARMACOLOGY

Supplementary Material

- Article Title: Posttraumatic Stress Disorder in US Military Veterans: Results From the 2019–2020 National Health and Resilience in Veterans Study
- Author(s): Blair E. Wisco, PhD; Faith O. Nomamiukor, MA; Brian P. Marx, PhD; John H. Krystal, MD; Steven M. Southwick, MD; and Robert H. Pietrzak, PhD, MPH
- DOI Number: https://doi.org/10.4088/JCP.20m14029

List of Supplementary Material for the article

1. <u>Table 1</u> Prevalence of DSM-5 PTSD in the National Health and Resilience in Veterans (NHRVS 2019-2020) Using Different PCL-5 Cutpoints

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

© Copyright 2022 Physicians Postgraduate Press, Inc.

It is illegal to post this copyrighted PDF on any website. \bullet © 2022 Copyright Physicians Postgraduate Press, Inc.

Supplementary Table 1. Prevalence of DSM-5 PTSD in the National Health and Resilience in Veterans (NHRVS 2019-2020) Using Different PCL-5 Cutpoints

PCL-5 Cutpoint	NHRVS Sample (n = 4,069)					
	Raw Frequencies		Weighted Percentages			
	Lifetime PTSD ^a	Past Month PTSD n	Lifetime PTSD		Past Month PTSD	
	n		%	SE	%	SE
33	442	217	12.7	0.5	6.6	0.4
34	441	203	12.1	0.5	6.1	0.4
35	375	192	11.0	0.5	5.9	0.4
36	347	178	10.1	0.5	5.5	0.4
37	336	167	9.7	0.5	5.2	0.4
38	317	161	9.4	0.5	5.0	0.3
39	303	152	9.0	0.5	4.6	0.3

Abbreviations: DSM-5 = Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition; PCL-5 = PTSD Checklist-5; PTSD = posttraumatic stress disorder; SE=standard error.

^aPTSD was operationalized using the cutpoints 33-39 on the PCL-5. Lifetime PTSD refers to any lifetime PTSD; past month PTSD refers to PTSD within the past month. Lifetime and pastmonth PCL-5 scores were missing for 126 participants. Raw frequencies are reported; percentages and standard errors of percentages were calculated using post-stratification weights to permit generalizability to the US Veteran population.