



THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Supplementary Material

Article Title: Transdermal Fentanyl–Induced Seizures: Case Report and Literature Review

Author(s): Amílcar Silva-dos-Santos, MD; Sónia Costa, MD; and Marta Moitinho, MD

DOI Number: 10.4088/PCC.20cr02885

List of Supplementary Material for the article

1. [Supplementary Material Topic 1](#)
2. [Supplementary Material Topic 2](#)

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary Material Topic 1. Summary of the patient’s physical examination, laboratory workup and neuroimaging upon arrival at the emergency department

Glasgow Coma Scale¹ score was 11 (spontaneous opening of the eyes, no verbal response, obeying motor commands). The blood pressure was 125/73 mm Hg, the electrocardiogram was normal with cardiac frequency of 79 beats per minute, O₂ saturation was 100%, and glycemia was 140 mg/dL. The respiratory and cardiac auscultations were normal, and he had no peripheral edema. The blood tests as well as the CT scan were unremarkable.

Reference

1. Sternbach GL. The Glasgow Coma Scale. *J Emerg Med.* 2000;19(1):67–71.

Supplementary Material Topic 2. Updated ILAE (2017) Classification of Epilepsy

For an updated Classification of Epilepsy, please visit the website of The International League Against Epilepsy (ILAE), 2017: <https://www.ilae.org/guidelines/definition-and-classification/operational-classification-2017>.