

THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Supplementary Material

Article Title: The Burden of Neuropsychiatric Disorders in Medicaid Patients Living With HIV-1 Treated

With Integrase Inhibitor or Protease Inhibitor Antiretroviral Therapies

Author(s): Ji Song, PhD; Prina Donga, MS; Jessica Holt, PharmD; Rachel Rogers, PharmD; and

Bingcao Wu, PhD

DOI Number: https://doi.org/10.4088/PCC.22m03374

List of Supplementary Material for the article

- 1. Supplementary Table S1. Neuropsychiatric Disorders of Interest
- 2. Supplementary Table S2. ART Regimens at Index
- 3. Supplementary Figure S1. Study Design
- 4. Supplementary Figure S2. Patient Attrition
- 5. Supplementary Figure S3. Adjusted Costs During the 6-Month Post-Index Period

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary Table S1. Neuropsychiatric Disorders of Interest


Chronic
Anxiety
Depression, diagnosed
Depression, diagnosed and treated
Bipolar/manic depression
Trauma- and stressor-related disorders
Acute
Dizziness
Fatigue
Headache
Insomnia/sleep disorder
Suicidal ideation
Suicidal attempt
Cognitive impairment/poor concentration

Supplementary Table S2. ART Regimens at Index

	INI-based	PI-based	
Index regimen	(N=3,499)	(N=430)	
PI-based, n (%)			
Darunavir-based	_	332 (77)	
Atazanavir-based	_	77 (18)	
Other PI-based	_	22 (5)	
INI-based, n (%)			
Dolutegravir-based	1,685 (48)	-	
Elvitegravir-based	1,576 (45)	-	
Raltegravir-based	186 (5)	_	
Bictegravir-based	62 (2)	_	


Abbreviations: ART, antiretroviral therapy; INI, integrase inhibitor; PI, protease inhibitor.

Supplementary Figure S1. Study Design



Abbreviations: HIV-1, human immunodeficiency virus 1; INI, integrase inhibitor; PI, protease inhibitor.


Supplementary Figure S2. Patient Attrition



^aIncludes Reyataz (atazanavir), Prezista (darunavir), Prezcobix (darunavir/cobicistat), Kaletra (lopinavir/ritonavir), Symtuza (darunavir/cobicistat/emtricitabine/tenofovir alafenamide), and Norvir (ritonavir).

Abbreviations: ART, antiretroviral therapy; HIV-2, human immunodeficiency virus-2; INI, integrase inhibitor; NNRTI, non-nucleoside reverse transcriptase inhibitor; PI, protease inhibitor.

Supplementary Figure S3. Adjusted Costs During the 6-Month Post-Index Period



Abbreviations: ER, emergency room; INI, integrase inhibitor; NPE, neuropsychiatric event; PI, protease inhibitor; PPPM, per-patient-per-month; SD, standard deviation; SNF, skilled nursing facility.