

Supplementary Material

Article Title: Suicidality in Postpartum Women with Unipolar and Bipolar Depression: A Secondary Analysis Comparing Self-Reported and Clinician Assessments

Authors: Cindy L. Herrick, MA; Amy Yang, MS; Catherine S. Stika, MD; Katherine L. Wisner, MD, MS

DOI Number: 10.4088/JCP.25m15923

LIST OF SUPPLEMENTARY MATERIAL FOR THE ARTICLE

1. [Table 1](#) Combined EPDS10 and SIGH-ADS11 Response Groups and Combined Study Categories
2. [Table 2](#) Highest-Risk Discordance by Diagnosis
3. [Table 3](#) Days Between EPDS10 & SIGH-ADS11 Assessments by Concordance and Diagnosis

DISCLAIMER

This Supplementary Material has been provided by the authors as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

SUPPLEMENTARY TABLES

SUPPLEMENTARY TABLE 1. Combined EPDS10 and SIGH-ADS11 Response Groups and Combined Study Categories

Study Categories	EPDS10 “The thought of harming myself has occurred to me”	SIGH-ADS11 “Have you had any thoughts that life is not worth living?”
1: No Risk	0: Never	0: Absent
2: Moderate Risk	1: Hardly Ever	1: Feels life is not worth living
3: High Risk	2: Sometimes	2: Suicidal ideation
	3: Yes, Quite often	3: Suicidal gesture
		4: Attempts at suicide

Abbreviations: EPDS10: Edinburgh Postnatal Depression Scale, Item 10; SIGH-ADS11: Structured Interview Guide for the Hamilton Depression Screening Scale Atypical Depression, Item 11

SUPPLEMENTARY TABLE 2. Highest-Risk Discordance by Diagnosis

Group	EPDS0/S=3 ^a (N, %)	OR	95% CI	P-Value
Depression (n=728)	5 (0.68)	Ref	Ref	Ref
Bipolar (n=266)	6 (2.26)	3.92	1.18-13.00	<.001

^a Highest-Risk Discordance: defined as EPDS10=0 with SIGH-ADS11=3

Abbreviations: EPDS10, Edinburgh Postnatal Depression Scale, Item 10; SIGH-ADS11, Structured Interview Guide for the Hamilton Depression Rating Scale, Item 11

SUPPLEMENTARY TABLE 3. Days Between EPDS10 & SIGH-ADS11 Assessments by Concordance and Diagnosis

Group	Concordant Days (mean, SD)	EPDS0/S>0^a Days (mean, SD)	EPDS0/S≥2^b Days (mean, SD)	P-Value
Depression	10.54 (7.55)	13.13 (12.89)	11.8 (9.15)	.193
Bipolar	10.22 (8.08)	9.33 (8.86)	21 (17.91)	.051

^aModerate Discordance: defined as EPDS10=0 with SIGH-ADS11>0; ^bMaximal Discordance: defined as EPDS10=0 with SIGH-ADS11 ≥2

Abbreviations: EPDS10, Edinburgh Postnatal Depression Scale, Item 10; SIGH-ADS11, Structured Interview Guide for the Hamilton Depression Rating Scale, Item 11